

BACK IN THE FUTURE



Just Landed!

MODERN DESK LAMPS

MYT10392-1-*

Ø100 x 365
150lm
3W

*Add fitting colour to code:
BK (Black), WH (White),
GLD (Gold)

R386⁴⁰

DESK LAMP

RW-VSH76E

74 x 308 x 120mm
220lm | 3.5W | 4000K

R506⁰⁰

4
Different
Uses



Fresh Arrivals

COB LED STRIP LIGHTS

RW-SL-01-* -5M

288 LEDs/m | 10W/m
800lm/m | 5M | 230 VAC

R195⁶²

RW-SL-01-* -5M

288 LEDs/m | 10W/m
800lm/m | 5M | 230 VAC

R210⁹¹

IP67

*Add Colour to Code:
CW (Cool White)
WW (Warm White), DL (Daylight)

*Add Colour to Code:
R (Red), BL (Blue),
GN (Green), Y (Yellow)

New Welding Products

INVERTER



HUG1002

ARC 160A Mini 1PH Dc
Inverter With Cable Kit

R2,069⁴¹

Stay
Charged
Always

ELECTRIC RODENT TRAP

ERZ20

246 x 87 x 103mm

R626²⁹

Fast Pest
Control



NEW



WIFI TIMER + ENERGY METERS - 100-240VAC, 50Hz



ATMS2002 230VAC

20A/250VAC

R500²⁵



HWF03T

16A/250VAC

R529⁰⁰



ATMS4002 230VAC

40A/250VAC

R519⁰⁰



ATMS6002WM 230VAC

60A/250VAC

R757²⁸

SMART WIFI TIMER | SWITCH



ATMS2001 230VAC

20A/250VA
Dry Contact (SPST:NO)

R500²⁵



Wifi
Control



ZIGBEE GATEWAY

ATMSGZ01

100-240VAC, 50Hz
3VA/1.2W
Wireless Connection

R727⁹⁵



Wifi
Control



Zigbee Device
Control



SMART WIFI SWITCHING ADAPTORS

HSA01WT

3 Pin SA Smart Socket
16A@250VAC (3750W)

R549⁰¹



works with the
Google Assistant

WORKS WITH
amazon alexa



Wifi
Control



App
Control



Remote
Switching



Count Down
Timer



Consumption
Monitoring

© 2026 ACDC Dynamics (Pty) Ltd. All rights reserved. ACDC Dynamics® is a registered trademark of ACDC Dynamics (Pty) Ltd. All trademarks are the property of their respective owners.



Lighting



Solar




Backup Power



Automation



Wiring



Motor Control



Tools

A60 LED LAMPS & VALUE PACKS



Non-Dimmable



T-LED-5W-*-* R10⁹⁷

5W 450lm | 270° Beam Angle

T-LED-7W-*-* R11³²

7W 540lm | 270° Beam Angle

HS-E27-10W-* R13⁵⁰

9W 720lm | 160° Beam Angle | E27

HS-B22-10W-* R13⁵⁰

9W 720lm | 160° Beam Angle | B22



LED-A60-7W-*-* /2

R22⁴³

7W 540lm
270° Beam Angle

2
PACK

LED-A60-7W-*-* /6

R67²⁸

7W 540lm
270° Beam Angle

6
PACK

Fresh
Arrivals



GU10 LED LAMPS & VALUE PACKS

NEW

KL-GU10-7W-CCT

7W 500lm
38° Beam Angle

R16¹⁰



Change colour by wall switch
on/off then on again to change colour



KL-GU10-7W-*

7W 500lm | 38° Beam Angle

R16¹⁰

*Add Colour to Code:
DL (Daylight)
CW (Cool White)
WW (Warm White)



Non-Dimmable

SMD-GU10-6W-*

6W 480lm
120° Beam Angle

R9⁸⁹



Non-Dimmable

LED-GU10-6W-* /5

6W 480lm
120° Beam Angle

R49⁰⁰

5
PACK



Dimmable

DIM-KL-GU10-7W-*

7W 560lm | 38° Beam Angle

R25⁰⁰

*Add Colour to Code:
DL (Daylight)
CW (Cool White)
WW (Warm White)



LED FITTINGS & TUBES

Ø
26.3
mm



Frosted

LEDT8-A2FR-*

9W 2FT | T8
700-800lm

R21⁰⁰

LEDT8-A4FR-*

18W 4FT | T8
1480-1600lm

R29⁰⁰

LEDT8-A5FR-*

22W 5FT | T8
1750-1900lm

R36⁰⁰

*Add Colour to Code: DL (Daylight), CW (Cool White)



Pre-Wired
for LED

OPEN CHANNEL FITTINGS



Single
Lamp

OS-LED-006

9W 2FT
610 x 33 x 15mm

R44²⁸

OS-LED-012

18W 4FT
1210 x 33 x 15mm

R50⁶⁰

OS-LED-015

22W 5FT
1546 x 33 x 15mm

R71³⁰



OS-LED-012-2

18W 4FT
1210 x 33 x 15mm

R68⁸⁹

OS-LED-015-2

22W 5FT
1546 x 33 x 15mm

R73⁶⁰



Pre-Wired
for LED

SLIM LINE BATTENS


DFL-OCL12-32W-CCT

32W 175 - 265VAC | 4000lm
1200 x 75 x 28mm



IP44

R640⁵⁵



WEATHERPROOF LINEAR LIGHTING

IP65



Pre-Wired
for LED



LEDWPT8-109

9W 660 x 65 x 60mm
R159⁰⁰

LEDWPT8-118

18W 1270 x 65 x 60mm
R179⁰⁰

LEDWPT8-122

22W 1570 x 65 x 60mm
R249⁰⁰

Single
Lamp

LEDWPT8-209

9W 660 x 95 x 60mm
R169⁰⁰


LEDWPT8-218

18W 1270 x 95 x 60mm
R239⁰⁰

LEDWPT8-222

22W 1570 x 95 x 60mm
R289⁰⁰

Twin
Lamp



LED RECESSED PANELS



DFL-P0606-40W-4CCT

40W 4400lm
595 x 595 x 30mm

R399⁰⁰

DFL-P1206-64W-CCT

64W 7040lm
1195 x 595 x 30mm

R829⁰⁰

DFL-P1203-40W-CCT

40W 4400lm
1195 x 295 x 30mm

R439⁰⁰



Energy
Efficient



40W
Power



Standard
Sizes



5 Year
Warranty



Flicker-Free
Performance

NEW

LED CEILING FITTINGS



LAA12-CCT

R178⁷¹

12W 888lm
Ø260 x 80mm



LAC22-CCT

R255¹⁹

22W 1440lm
Ø380 x 95mm



LAC12-CCT

R172²⁷

12W 888lm
Ø260 x 80mm

LAD22-CCT

R347⁷⁶

22W 22W | 1440lm
Ø380 x 95mm

Fresh Arrivals

LED PLASTIC BULKHEADS



BL220-20W-PIR-BK-CCT

20W 1800lm
Ø220 x 80mm

R345³⁵



BL220-12W-PIR-WH-CCT

12W 840lm
Ø220 x 99mm

R362²⁵



Day/Night Sensor



BL270-20W-CCT

20W 1500lm
Ø270 X 102mm

R316³⁷



BL320-24W-CCT

24W 24W | 1800lm
Ø320 x 113mm

R431⁴⁸

DECORATIVE LIGHTS



Frosted Glass



40934-1

1 x 60W | E27
Ø210mm | Iron +
Glass Frosted

R283³⁰



40932-1

1 x 60W | E27
Ø210mm | Iron +
Glass Frosted

R259³⁸



FLOOR STANDING

T712

1 x 40W | E27
Ø340 x 690mm

R965⁷⁷



C710-NICKLE

1 x 100W | E27
Ø400 x 800mm
Steel Satin-Nickle

R1,581²⁵



C703

1 x 100W | E27
Ø310 x 940mm
Black | Gold

R1,378⁸⁵



TABLE LAMP

TR11

1 x 60W | E27
Ø320 x 470mm

R736⁰⁰

GEWISS Smart [3]

INDUSTRIAL LINEAR LIGHTING



IP66

IP69

5

YEAR warranty

GWS3220ET857

52W | 6300lm
1200 x 110 x 75mm
Clear Diffuser
5700K - Day Light

R1,547⁶⁷



DISTRIBUTION BOARDS

IP65

40 CDKe RANGE



GW40103

12 Module

R986²⁵



GW40104

2 X 12 Module

R1,569⁵³



GW40106

18 Module

R1,311¹⁹



GW40107

2 X 18 Module

R2,291³⁹

With Transparent Smoked Door | Surface Mount | Without Terminals

JUNCTION BOXES

IP55

with Plain Quick Fixing Lid & 1/4 Turn Screws - TP85°C



GW44234

100 x 100 x 50mm

R84¹⁸

GW44236

150 x 110 x 70mm

R128³⁴



GW44114

Grey Lid | TP85°C
100 x 100 x 80mm
4 S/S Screws

R128³⁴

with Stepped
Glands and
Press-on Lids -
TP85°C

IP44



GW44001

Ø65 x 35mm | 4 Entries
Gland Hole: 23mm
Conduit Max: 20mm

R30²⁹

GW44002

Ø80 x 40mm | 4 Entries
Gland Hole: 23mm
Conduit Max: 20mm

R37⁵⁴

GW44003

Ø65 x 35mm | 4 Entries
Gland Hole: 23mm
Conduit Max: 20mm

R46⁸⁵

INDUSTRIAL PLUGS & SOCKETS

IP44

IP54

Straight Plugs (Screw Wiring)

GW60004H

2P + $\frac{N}{\perp}$
16A | 400V

R93¹⁵

GW60009H

3P + N + $\frac{PE}{\perp}$
16A | 400V

R133¹⁷

GW60015H

2P + $\frac{N}{\perp}$
32A | 230V

R168³⁶

GW60020H

3P + N + $\frac{PE}{\perp}$
32A | 400V

R207⁰⁰

Straight Plugs (Screw Wiring)

GW62004H

2P + $\frac{N}{\perp}$
16A | 230V

R138⁶⁹

GW62009H

3P + N + $\frac{PE}{\perp}$
16A | 400V

R189⁷⁵

GW62015H

2P + $\frac{N}{\perp}$
32A | 230V

R231¹⁵

GW62020H

3P + N + $\frac{PE}{\perp}$
32A | 400V

R282⁹⁰

Horizontal Socket-Outlets with Rotary Switch, with bottom

GW66004

2P + $\frac{N}{\perp}$
16A | 400V

R878³⁷

GW66009

3P + N + $\frac{PE}{\perp}$
16A | 400V


R1,049⁴⁹

GW66015

2P + $\frac{N}{\perp}$
32A | 230V

R1,015⁶⁸

PVC FLEX CONDUIT



DX15032R/50

32mm Black | 50m

R1,381³⁸

DX15025R/75

25mm Black | 75m

R1,312³⁸

DX15020/100

20mm Black | 100m

R1,107⁴⁵

DX16220/100

20mm White | 100m

R1,097⁷⁹

DX16225R/75

25mm White | 75m

R1,312³⁸

DX16232R/50

32mm White | 50m

R1,243³⁸



PROUD SPONSOR OF



IK02-2-100W-CCT

100W 11000lm
236 x 203 x 26mm

R474⁷²

IK02-2-150W-CCT

150W 16500lm
276 x 231 x 30mm

R750⁷²

IK02-2-200W-CCT

200W 22000lm
266 x 312 x 31mm

R1,014³⁰

IK02-2-400W-CCT

400W 44000lm
440 x 590 x 20mm

R1,447⁶²

IK02-2-500W-CCT

500W 55000lm
530 x 347 x 100.5mm

R2,651⁶⁷

5
YEAR
warranty



IP65

Just In!

LED LOW BAY LIGHTS

100-277VAC | 6500k | Zone 1/2I



Ex

IP65

EX060ME4H-CM

60W 10800lm

R4,870⁸⁸

EX100ME4H-CM

100W 17000lm

R5,195⁴¹

EX200ME4H-CM

200W 32000lm

R6,391⁸⁷

HOT! COURTYARD SOLAR DECK LAMPS

Lithium 300mAh | 18-20 Hours
4.5V/50mA(max) | Amorphous
silicon



IP65

ZQ-LJD-1W-0.4W-WW

0.4W/20lm

R107⁸¹

ZQ-LJD-2W-0.8W-WW

0.8W/20lm

R122⁴⁸

SOLAR LED BULKHEAD LIGHTS



IP54

SL02-D-60W

60W 520-535lm
Battery 3.2V/5000mAh

R337³⁰

SL02-D-100W

100W 770-860lm
Battery 3.2V/5000mAh

R476⁵⁶

NEW RECESSED LED DOWNLIGHTS

185-265VAC



RW-RN120-6W-CCT

6W 510lm
Cut out size:
Ø118mm

R57⁹⁶



RW-RN150-9W-CCT

9W 765lm
Cut out size:
Ø145mm

R76⁴⁸



RW-RN120-6W-*

6W 390lm
Cut out: Ø118mm

*Add Colour to Code:
DL (Daylight),
CW (Cool White),
WW (Warm White)

R40⁸³

LED ECONOMICAL FLOODLIGHTS

230VAC | Beam Angle: 120° | Cool White (5500K)

IP65

2
YEAR
warranty



FL-10W-CW

10W 800lm

R35³³

FL-20W-CW

20W 1600lm

R70⁰¹

FL-30W-CW

30W 2400lm

R98¹⁰

FL-50W-CW

50W 4000lm

R135⁷⁰

FL-100W-CW

100W 8000lm

R209³⁰

FL-150W-CW

150W 12000lm

R384¹⁰

FL-200W-CW

200W 16000lm

R446²⁰

CABLE JOINT KITS

IP68



RFCJ-BK

Resin Filled
Max 2.5mm²
Cable size 5-8.5mm

R88⁴⁹



MAGIC-1 BK

Pre-filled Gel Type
for 1-2.5mm² 3 core
70 x 20Ømm

R76⁶³

WATERPROOF CABLE CONNECTOR

IP68



3 Pole | Ø26.5 x 115mm
Cable Ø6, 5-12mm

R39⁵⁶



NEW

PIR MOTION SENSOR FLOODLIGHTS

IP65



200-265VAC | Cool White (4200K)

PIR-N-20W-CW

20W 1600lm
160 x 121 x 30mm

R281⁷⁵



PIR-N-30W-CW

30W 2400lm
202 x 156 x 30mm

R307⁵¹



230VAC | Warm White (2400K)

PIR-N-20W-WW

20W 1600lm
150 x 116 x 36mm

R281⁷⁵



Day/Night
Sensor

SOLAR STREET LIGHTING



IP65

Pole not included



ST-S20

360lm 20W
7W PV Panel
3.2V / 5Ah Battery

R495⁰⁸

ST-S40

750lm 40W
8W PV Panel
3.2V / 5Ah Battery

R595⁷⁰

ST-S60

1350lm 60W
12W PV Panel
3.2V / 12Ah Battery

R692³⁰

ST-S90

1850lm 90W
18W PV Panel
3.2V / 18Ah Battery

R788⁹⁰

ST-S120

2400lm 120W
18W PV Panel
3.2V / 22Ah Battery

R1,153⁵⁷

Fresh in!

TR-S1-100

1200lm | 9W PV | 10-12hrs (Auto Mode)
Battery 3.7V / 8Ah | 432 x 198 x 63mm

R672⁹⁸



POWER INVERTER | CHARGERS

- Pure sine wave inverter
- Support LiFePO4 and Lead-acid Battery
- Built-in selectable charger
- Deep discharge protection
- Automatic line-to-battery switch over



EP-1500-600W

230VAC / 184-278VAC
Output: 600W | Battery: 12VDC
Lithium/Lead-acid Battery
Max AC: 10A/15A

R2,876⁶⁴

EP-1500-1200W

230VAC / 184-278VAC
Output: 1200W | Battery: 24VDC
Lithium/Lead-acid Battery
Max AC: 5A/10A

R3,676³²

NEW



BLUE NOVA
energy

BN52V-100-5.2K-SP

5120Wh | 48VDC | 100Ah
Max. Discharge: 100A
Up to 6000 cycles
@ 80% DoD (C2)

R14,649⁰⁰

10
YEAR
warranty

LITHIUM BATTERIES

GREENRICH
LIGHT UP AFRICA

10
YEAR
warranty



GR-UP5000-5KWH

4960Wh | 51.2VDC | 96Ah
Max. Discharge: 150A (1.5C)
Up to 6000 Cycles
@80% DoD (0.5C)

R14,275⁹⁵



GR-UP6100-6.1KWH

6123Wh | 51.2VDC | 119.6Ah
Max. Discharge: 200A (1.5C)
Up to 6000 Cycles
@80% DoD (0.5C)

R17,632⁹⁵



Modified
Sine-Wave

COMPACT INVERTER

SG-PSI-150W

150W Continuous Power
300W Surge Power | 12VDC
Output 230VAC/150W
2 x USB-A (5V/2.1A Total)

R428⁶⁶

ACDC
DYNAMICS

Up to 6000 cycles @
80% DoD (0,5C)

5
YEAR
warranty



Rack Mount

RESI-51100RM-5.1KWH

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

R14,275⁹⁵



Wall Mount

RESI-51100WM-5.1KWH

51.2V | 5120Wh | 100Ah
Max. Discharge: 100A

R14,620⁹⁵

OFF-GRID
INVERTERS

PV18-5K 48VDC

5000W | 230VAC
PV Input: 4000W/145VDC
MPPT Range: 60-130VDC

R7,885⁸⁰



SOLAR MOUNTING STRUCTURES



ING-SPF-02

Snap Anti-theft Clip (Small) | 1 Pc

R949



ING-SPF-01

Snap Anti-theft Clip (Large) | 1 Pc

R2070

ANTI-SLIP TAPE



CG0251

Step XL Black
500 X 15mm

R84⁸⁷



CG0241

Yellow & Black
48 mm X 5m

R150⁴²



CG0240

Black
48mm X 5m

R158⁰¹



CG0242

Clear
48mm X 5m

R158⁰¹



CG0243

White
48mm X 5m

R158⁰¹



CG0250

Yellow & Black
Watch Your Step
48mm X 5m

R179⁴⁰



CG0244

Reflective Black
48mm X 5m

R193⁸⁹



CG0259

Luminescent & Black
48mm X 5m

R279⁴⁵



CG0236

Black
100 mm X 8m

R487¹⁴



CG0235

Black
48 mm X 25 m

R645¹⁵

HALF ROUND GREY TRUNKING



RTD-40D

R51⁰⁶

40W x 11H | 1M

RTD-60D

R88³²

60W x 15H | 1M

RTD-90D

R135⁹³

90W x 22H | 1M

RTD-120D

R165⁶⁰

120W x 30H | 1M


CABLE & WIRE
STRIPPING
TOOLS



STRIP-2

R298⁶⁶

2-level stripping of all coaxial
cables of 4.8 - 7.5mm outer Ø



STRIP-3

R380⁷⁷

As per STRIP-2 with
built-in side cutter

MULTI PURPOSE LUBRICANTS



Q-030021

Q20 Instant
Lubricant 150g

R68³¹



Q-1050245

Q Lithium Grease
400ml

R140⁷⁶



Q-1050247

Q Zinc Spray
400ml

R160⁰⁸



WS-ALU

Aluminium
Spray A-100

R210⁴⁵



WS-FS

Freeze Spray

R221⁴⁹



Q-036124

EVAPO RUST 5L

R522³³

WE'VE RELAUNCHED! 🛒

FRESH LOOK. SAME PASSION. MORE POWER.


Visit our new and improved website:

acdexpress.com

Powered By
peach
payments

100% SECURE






WH - White	SL - Slate	BK - Black
M724-1L-1W-WH 1 Lever 1 Way R26⁴⁵	M724-1L-1W-SL 1 Lever 1 Way R28⁷⁵	M724-1L-1W-BK 1 Lever 1 Way R28⁷⁵
M724-1L-2W-WH 1 Lever 2 Way R29³³	M724-1L-2W-SL 1 Lever 2 Way R31⁶³	M724-1L-2W-BK 1 Lever 2 Way R31⁶³



M724-2L-1W-WH	M724-2L-1W-SL	M724-2L-1W-BK
2 Lever 1 Way R50⁶⁰	2 Lever 1 Way R40⁸³	2 Lever 1 Way R40⁸³
M724-2L-2W-WH 2 Lever 2 Way R44⁸⁵	M724-2L-2W-SL 2 Lever 2 Way R43⁷⁰	M724-2L-2W-BK 2 Lever 2 Way R44⁸⁵



M724-3L-1W-WH	M724-3L-1W-SL	M724-3L-1W-BK
3 Lever 1 Way R56²⁹	3 Lever 1 Way R58⁸²	3 Lever 1 Way R58⁸²



M744-4L-1W-WH	M744-4L-1W-SL	M744-4L-1W-BK
4 Lever 1 Way Switch R65¹⁵	4 Lever 1 Way Switch R80⁹⁶	4 Lever 1 Way Switch R80⁹⁶



M744-6L-1W-WH	M744-6L-1W-SL	M744-6L-1W-BK
6 Lever 1 Way Switch R84¹²	6 Lever 1 Way Switch R101⁸³	6 Lever 1 Way Switch R101⁸³

NEW

S.A. EXTENDERS



MS1-3SA-3N
3 x SA + 3 x N-Type
c/w 400mm Cord
R124⁸⁹



MS1-4SA-4N-SHK
4 x SA + 3 x N-Type +
1 x Schuko
c/w 400mm Cord
R157³²



MS1-3SA
3 x SA
c/w 400mm Cord
R95²²



MS1-5SA
5 x SA
c/w 400mm Cord
R109⁰²



WH - White	SL - Slate	BK - Black
M7400-WH 1 x 16A Switched Socket R43³⁰	M7400-SL 1 x 16A Switched Socket R47⁷³	M7400-BK 1 x 16A Switched Socket R47⁷³



M7402-WH	M7402-SL	M7402-BK
2 x 16A Switched Socket R59⁸⁰	2 x 16A Switched Socket R63²⁵	2 x 16A Switched Socket R63²⁵



M7411-WH	M7411-SL	M7411-BK
1 x 16A Switched + 1 x N-Type + 1 x Schuko R77⁸⁰	1 x 16A Switched + 1 x N-Type + 1 x Schuko R80⁹⁶	1 x 16A Switched + 1 x N-Type + 1 x Schuko R80⁹⁶



M7404-WH	M7404-SL	M7404-BK
1 x 16A Switched + 1 x N-Type + 2 x 2.1A USB R121⁹⁰	1 x 16A Switched + 1 x N-Type + 2 x 2.1A USB R128²³	1 x 16A Switched + 1 x N-Type + 2 x 2.1A USB R128²³



M724-3N-WH	M724-3N-SL	M724-3N-BK
3 x N-Type SA 16A Socket Outlets R106²⁶	3 x N-Type SA 16A Socket Outlets R110⁶⁹	3 x N-Type SA 16A Socket Outlets R110⁶⁹

WEATHERPROOF BOXES C/W SOCKET/SWITCH

IP54



A302S
32 D/P Isolator
PVC
R101²⁰



A311S
16A Single Socket
PVC
R110⁴⁰



A311D
16A Double Socket
Fibre (DMC)
R193²⁰

PLUG TOPS & ADAPTORS



ISDPT03
R13⁵⁹
White 15A SA
with handle



RA300BK
R15⁰⁰
Rubber 16A
Plug Top



A310*
R26²² EACH
Nylon Janus Coupler
* Add colour to code:
WH (White) or BK (Black)



RA310BK
R28²⁹
Janus Coupler
Rubber Black 16A

DIN DISTRIBUTION BOARDS

FLUSH MOUNT - WITH DOOR & TRAY



4-Way

FDBEDIN-4

R90⁹⁷



6-Way

FDBEDIN-6

R111⁰⁹



8-Way

FDBEDIN-8

R181¹³



12-Way

FDBEDIN-12

R198⁰³



15-Way

FDBEDIN-15

R261⁶³



18-Way

FDBEDIN-18

R273⁷⁰



24-Way
(2x12)

FDBEDIN-24

R378³⁵



36-Way
(3x12)

FDBEDIN-36

R690⁶⁹

SURFACE MOUNT - WITH DOOR



4-Way

SDBEDIN-4

R86¹⁴



6-Way

SDBEDIN-6

R104⁶⁵



8-Way

SDBEDIN-8

R107⁰⁷



12-Way

SDBEDIN-12

R156¹⁷



18-Way

SDBEDIN-18

R217³⁵



24-Way
(2x12)

SDBEDIN-24

R320³⁹



36-Way
(3x12)

SDBEDIN-36

R491⁰⁵



SPLICING CONNECTORS

Solid Wire: 0.2-4mm²
Flexi Wire: 0.14-4mm²



221-415/8

R201²⁵

PACK OF 8
5 Way | 32A



221-413/12

R164⁰⁶

PACK OF 12
3 Way | 32A



221-412/16

R162⁶¹

PACK OF 16
2 Way | 32A

Solid Wire: 0.2-4mm²
Flexi Wire: 0.2-4mm²



221-2411/12

R174⁶⁹

PACK OF 12 | 1 Way | 32A

L-BOXX MINI SPLICING CONNECTOR KIT

887-850

R2,526¹⁷

221 L-BOXX Mini Splicing Connector Kit This kit includes: 221-412(x100), 221-413(x100)221-415(x25), 221-500(x2), 221-2411(x30), 221-2503(x1) and 221-2502(x1)



NEW

13MM MINIATURE CIRCUIT BREAKERS

4.5KA C-CURVE 13MM MCB



1 POLE	
SA1-5	5A
SA1-10	10A
SA1-15	15A
SA1-20	20A
SA1-25	25A
SA1-32	32A
SA1-40	40A
SA1-50	50A
SA1-63	63A

R66⁴¹ EACH



1 POLE + N	
SA1N-20	20A
SA1N-25	25A
SA1N-32	32A
SA1N-40	40A
SA1N-63	63A
SA1N-50	50A

R132¹⁹ EACH
R134⁰⁹ EACH



2 POLE	
SA2-20	20A
SA2-25	25A
SA2-32	32A
SA2-40	40A
SA2-50	50A
SA2-63	63A

R132¹⁹ EACH

EARTH LEAKAGE RELAYS - RCDs 30mA



2 POLE	
SAE2-25	25A
SAE2-40	40A
SAE2A-63	63A

R363⁶⁹ EACH
R393⁴² EACH



4 POLE	
SAE4-63	63A

R581⁹⁰ EACH



SURGE PROTECTION DEVICE

SASP-5KA	5kA
SASP-15KA	15kA

R73³⁷ EACH
R78⁴³ EACH

DIGITAL TIME SWITCHES



DHC15A-20A

20A | 24hrs/7days
20 On/20 Off Programs
With Working Reserve

R261¹⁰



SAT-30A

30A | 24hrs/7days
8 On + 8 Off Program
With Working Reserve

R461⁷³

DIN MECHANICAL TIME SWITCHES



BND-X5

16A | 24hr Dial
With Working Reserve

R289⁰⁰



SUL181D

16A | 24hr Dial
With Working Reserve

R289⁰⁰

JUNCTION BOXES

IP66



102-20MM

Gland Size: 20mm
Entry Thread: M20x1.5
Distance of Fixing Holes: 122mm

R213⁹⁰

102-25MM

Gland Size: 25mm
Entry Thread: M25x1.5
Distance of Fixing Holes: 150mm

R317⁴⁰



Just Arrived

ENCLOSED ISOLATORS

IP56

NF2-32

32A | 2P

R197²³



UKF3-63

63A | 3P

R270⁴⁸



VISIT YOUR NEAREST STORE TO GET YOUR ULTIMATE

ELECTRICAL GUIDE

TOOLBOXES & ORGANISERS **NEW**



PT5012

Toolbox Carbo
Semi Pro 312mm
(Yellow)

R165⁸³



PT5016

Toolbox Carbo
Semi Pro 415mm
(Yellow)

R367⁸⁹



PT5020

Toolbox Carbo
Semi Pro 525mm
(Yellow)

R610¹⁹



PT5032

Organiser Domino
Black 325mm

R175⁴⁹



PT5036

Organiser Domino
Black 364mm

R200⁴⁵



PT5045

Organiser Domino
Black 450mm

R282⁵⁶



PT5500

Toolbox Formula
Pro 462mm (Red)

R660⁹¹



PT9213

Qbrick System Two
Box 100 Flex
530 X 295 X 130mm

R493⁴⁷



PT9214

Qbrick System Two
Box 200
530 X 295 X 195mm

R493⁴⁷



PT9215

Qbrick System Two
Organizer Flex Plus
530 X 310 X 130 mm

R828³⁵



PT9212

Qbrick System Two
Toolbox Plus Vario
530 X 313 X 223mm

R903²¹



PT9211

Qbrick System Two
Transport Platform
600 X 400 X 190mm

R1,087⁵⁶



PT9210

Qbrick System Two
Cart Plus Vario
530 X 383 X 690mm

R2,166²⁶



PT5600

Toolbox Formula
Pro 547mm (Red)

R800⁹⁸

SCREWDRIVER KIT/SET



SB157243

31 Piece
Screwdriver
Bit Set

R91⁷⁷



VFL-2234

1000V 8 Pc
Screwdriver Set

R474¹⁵



VDE TOOLS

SB0607243

13pc VDE Screwdriver Set
All in one driver set with
clip on handle

R475⁷⁶



BT-032

R3,429³⁰

1000V 31 Pc
Electricians
Back Pack
Tool Kit

COMBINATION PLIERS



V10-2105

(150mm) 6"

R197²³

V10-2106

(180mm) 7"

R201²⁵

V10-2107

(200mm) 8"

R247⁹⁴



FLH-0057

R65²¹

8pc Aluminium Frame Folding Tool

CRIMPING TOOL KITS



Y-202

R167⁴⁴

120pcs Mixed
Insulated Lugs



Y-200

300pcs Mixed
Insulated Lugs

R312³⁴

THERMAL IMAGING CAMERAS



ST-REVEAL

Thermal Sensor: 206 x 156
Detection: 150 Meters
Field of View: 36°
Temp.: -40°C to 330°C

R6,175⁴⁷

- Wide field of view quickly scans the inside of any room
- Best-in-Class
- Temperature Range
- Up to 10hrs of continuous thermal imaging on a single charge
- Intuitive Software Continuous feature enhancements



ST-REVEALPRO

Thermal Sensor: 320 x 240
Detection: 550 Meters
Field of View: 32°
Temp.: -40°C to 330°C

R10,358¹⁸

- High-Resolution Thermal Sensor
- Rugged, rubberized casing with Corning® Gorilla® Glass
- Continuous Digital Zoom up to 4X
- Up to 4 hours of thermal imaging in Normal MODE
- Level and span controls let you isolate and capture the details that matter

INLINE DUCT FANS



WF-100

160/200m³/h

R640⁷⁸

WF-150

400/540m³/h

R790⁵¹

WF-200

720/900m³/h

R1,012⁶⁹

VENTILATION FANS



APC10-C1

86m³/h
220 - 240V | 12W
Duct Ø100mm
167 x 167 x 100mm

R194⁰¹

WITH BUILT IN AUTO SHUTTER

APC15-C1

192m³/h
220 - 240V | 20W
Duct Ø150mm
220 x 210 x 112mm

R314⁷⁶



APC10-C1-HT

86m³/h
220 - 240V | 12W
Duct Ø100mm
167 x 167 x 100mm

R392⁰⁴



Timer
Included



Humidity
Sensor

WITH BUILT IN
MOTION SENSOR



APC10-C2

86m³/h
220 - 240V | 12W
Duct Ø100mm
158 x 158 x 89mm

R202⁰⁶

APC12-C2

128m³/h/h
220 - 240V | 15W
Duct Ø120mm
173 x 173 x 94mm

R251¹⁶



APC12-B2

86m³/h
220 - 240V | 15W
Duct Ø120mm
173 x 173 x 89mm

R234²⁶



APC15-B3-M

192m³/h/h
220 - 240V | 20W
Duct Ø100mm
210 x 210 x 96mm

R466⁹⁰

GAUTENG

Alberton: 011 907 0796
Boksburg: 011 020 3650
Centurion: 012 003 2030
Fourways: 011 465 9802
Gezina: 012 141 0073
Germiston: 011 418 9600
Kempston Park: 010 822 7140

KWAZULU-NATAL

Ballito: 032 946 2131
Newcastle: 010 045 0910
Pietermaritzburg: 087 405 0664

Longmeadow: 010 202 3300
Silverlakes: 012 141 0078
Strijdom Park: 011 251 5600
Strubens Valley: 087 729 0369
Woodmead: 010 055 7166
Vaal: 010 442 4420

NORTH WEST

Potchefstroom: 018 880 0602
Rustenburg: 014 050 0999
Mountain View: 014 880 0612

MPUMALANGA

Middelburg: 013 110 3320
Nelspruit: 013 752 3797
Secunda: 017 631 3531
Witbank: 013 110 0580

WESTERN CAPE

Bellville: 021 946 1390
Hermanus: 021 020 1441
Paarden Eiland: 021 036 0996
Paarl: 022 110 0010
Richmond Park: 021 492 2000
Somerset West: 087 405 0566
Vredenburg: 010 055 7213
Worcester: 023 342 0231

EASTERN CAPE

Port Elizabeth: 041 110 0010

FREE STATE

Bloemfontein: 051 140 0094


LIMPOPO

Polokwane: 015 590 8565

WE'RE EXPANDING INTO AFRICA

ESWATINI: MANZINI

Matshapa: +268 3555 2989



Visit our Website